

Alcatel·Lucent



Enterprise

Product ID	Description	PDSF (CAD)
OS6360-10	OS6360-10 GigE fixed chassis 8 RJ-45 10/100/1G BaseT, 2 10/100/1G BaseT, 2 fixed SFP (1G) uplink ports. 1RU size, internal AC power supply. Includes country specific power cord, guides. Order 19" rack mount kit separately.	1 197,00 \$
SP5N-OS6360-10	5 years End Customer Support Plus for one OS6360-10 Includes 24x7 access to technical assistance, software updates and upgrades. Includes advanced replacement of faulty equipment. Please see Network Essentials document on MyPortal.	229,60 \$
ST5N-OS6360-10	5 years End Customer Support Total for one OS6360-10 Includes 24x7 access to technical assistance, software updates and upgrades. Includes 4H advanced replacement of faulty equipment. For ordering conditions, contact your ALE reseller.	460,60 \$
OS6360-P10	OS6360-P10 GigE fixed chassis 8 RJ-45 PoE 10/100/1G BaseT, 2 10/100/1G BaseT, 2 fixed SFP (1G) uplink ports. 1RU size, internal AC power supply (120W PoE budget) Includes country specific power cord, guides. Order 19" rack mount kit separately.	1 654,80 \$
OS6360-24	OS6360-24 GigE fixed chassis 24 RJ-45 10/100/1G BaseT, 2 fixed RJ45/SFP combo (1G), 2 fixed SFP+ (1G/10G) uplink/stacking ports. 1RU size, internal AC power supply. Includes country specific power cord, guides, and 19" rack mount hardware.	1 568,00 \$
SP5N-OS6360	5 years End Customer Support Plus for one OS6360 Includes 24x7 access to technical assistance, software updates and upgrades. Includes advanced replacement of faulty equipment. Please see Network Essentials document on MyPortal.	701,40 \$
ST5N-OS6360	5 years End Customer Support Total for one OS6360 Includes 24x7 access to technical assistance, software updates and upgrades. Includes 4H advanced replacement of faulty equipment. For ordering conditions, contact your ALE reseller.	1 402,80 \$
OS6360-P24	OS6360-P24 fixed 1RU chassis 24 PoE 1G BaseT, 2 fixed RJ45/SFP combo (1G), 2 fixed 1G/10G SFP+ uplink/stacking ports. Internal AC PSU (180W budget), includes country specific power cord, guides and 19" rack mount kit.	2 727,20 \$
OS6360-PH24	OS6360-PH24 fixed 1RU chassis 24 PoE 1G BaseT, 2 1G* RJ45/SFP+ combo, 2 1G/10G SFP+ uplink/VFL ports. Internal AC PSU (380W budget), includes country specific power cord, guides and 19" rack mount kit. *10G license upgradeable.	3 365,60 \$

OS6360-P24X	OS6360-P24X fixed 1RU chassis 24 PoE 1G BaseT, 2 fixed RJ45/SFP+ combo (1G/10G), 2 fixed 1G/10G SFP+ uplink/VFL ports. Internal AC PSU (380 budget), includes country specific power cord, guides and 19" rack mount kit.	4 748,80 \$
OS6360-CBL-1M	1 meter long 10Gbs SFP+ direct stacking cable for OS6360 24 and 48 port models	210,00 \$
OVCX-63-PRM-5Y	OmniVista Cirrus 10 - Public Cloud - Premium Level - 5 Year - Covers OS63xx Devices - Ordering through Ebuy - Prepaid mode - Premium Support - Includes End Customer Support for Device (AVR) & OVC10 Updates & Support	915,60 \$
OS6560-24X4	OS6560-24X4 GigE fixed chassis 24 RJ-45 10/100/1G BaseT, 2 fixed SFP (1G), 4 fixed SFP+ (1G/10G) uplink/stacking ports. 1RU size, internal AC power supply. Includes country specific power cord, guides, and 19" rack mount hardware.	5 626,60 \$
SP5N-OS6560	5 years End Customer Support Plus for one OS6560 Includes 24x7 access to technical assistance, software updates and upgrades. Includes advanced replacement of faulty equipment. Please see Network Essentials document on MyPortal.	1 776,60 \$
ST5N-OS6560	5 years End Customer Support Total for one OS6560 Includes 24x7 access to technical assistance, software updates and upgrades. Includes 4H advanced replacement of faulty equipment. For ordering conditions, contact your ALE reseller.	3 551,80 \$
OVCX-65-PRM-5Y	OmniVista Cirrus 10 - Public Cloud - Premium Level - 5 Year - Covers OS65xx Devices - Ordering through Ebuy - Prepaid mode - Premium Support - Includes End Customer Support for Device (AVR) & OVC10 Updates & Support	2 083,20 \$
OS6560-BP	OS6560-BP modular 150W AC power supply. Provides system and power to one OS6560 switch. Ships with country specific power cord.	826,00 \$
OS6560-P24X4	OS6560-P24X4 GigE fixed chassis 24 RJ-45 PoE 10/100/1G BaseT, 2 fixed SFP (1G), 4 fixed SFP+ (1G/10G) uplink/stacking ports. 1RU size, 600W AC power supply. Includes country specific power cord, guides, and 19" rack mount hardware.	7 736,40 \$
OS6560-BP-PH	OS6560-BP-PH modular 600W AC PoE power supply. Provides system and PoE power to one OS6560 PoE switch. Ships with country specific power cord.	1 652,00 \$
OS6560P24Z24	OS6560-P24Z24 Multi-GigE fixed chassis in 1RU size. Includes 24 RJ-45 100/1G/2.5G BaseT HPoE, 4xSFP+ 1G/10G) and 2x20G stacking ports, 600W AC supply, country specific power cord, user guides, and 19 rack mount hardware.	12 658,80 \$
OS6560-CBL-100	OS6560 20 Gigabit direct attached stacking copper cable 100 cm, QSFP+)	630,00 \$
OS6870PX24M	OS6870-P24M: Fixed chassis with 24x10G multi-gigabit 95W bt PoE ports, 2x200G QSFP56 VFL ports with an uplink module expansion slot. Includes 19" rack-mount kit, console adapter, 1200W AC PS and country specific power cord. TAA compliant.	23 800,00 \$
OS6870-LNI-U6	OS6870-LNI-U6: One uplink module for OS6870-P24M / OS6870-P48M / OS6870-V12 switch with six 10G/25G/50G SFP56 ports. All ports support 256-bit MACsec. Purchase OS6870-SW-PERF license separately to enable 50G speed.	2 506,00 \$
OS6870-BPPX	One OS6870-BPPX modular 1200W AC PoE power supply. Provides power to one OS6870 PoE switch. Includes country specific power cord. Not compatible with OS6860E or OS6860N.	2 758,00 \$

Product ID	Description	PDSF (CAD)
SP5N-OS6870	5 years End Customer Support Plus for one OS6870 Includes 24x7 access to technical assistance, software updates and upgrades. Includes advanced replacement of faulty equipment. Please see Network Essentials document on MyPortal.	3 747,80 \$
ST5N-OS6870	5 years End Customer Support Total for one OS6870 Includes 24x7 access to technical assistance, software updates and upgrades. Includes 4H advanced replacement of faulty equipment. For ordering conditions, contact your ALE reseller.	7 497,00 \$
QSFP-200G-C1M	200 Gigabit direct attached copper cable (QSFP56, 1m)	630,00 \$
OVCX-68-PRM-5Y	OmniVista Cirrus 10 - Public Cloud - Premium Level - 5 Year - Covers OS68xx Devices - Ordering through Ebuy - Prepaid mode - Premium Support - Includes End Customer Support for Device (AVR) & OVC10 Updates & Support	3 561,60 \$
OS6360-P48X	OS6360-P48X fixed 1RU chassis 48 PoE 1G BaseT, 2 fixed RJ45/SFP+ combo (1G/10G), 2 fixed 1G/10G SFP+ uplink/VFL ports. Internal AC PSU (760W budget), includes country specific power cord, guides and 19" rack mount kit.	8 353,80 \$
OS6560-48X4	OS6560-48X4 GigE fixed chassis 48 RJ-45 10/100/1G BaseT, 2 fixed SFP (1G), 4 fixed SFP+ (1G/10G) uplink/stacking ports. 1RU size, internal AC power supply. Includes a country specific power cord, guides, and 19" rack mount hardware.	7 912,80 \$
OS6560-P48X4	OS6560-P48X4 GigE fixed chassis 48 RJ-45 PoE 10/100/1G BaseT, 2 fixed SFP (1G), 4 fixed SFP+ (1G/10G) uplink/stacking ports. 1RU size, 920W AC power supply. Includes a country specific power cord, guides, and 19" rack mount hardware. DNV Certified.	11 253,20 \$
OS6870PX48Z	OS6870-P48Z: Fixed chassis with 48x2.5G multi-gigabit 60W bt PoE ports, 2x100G QSFP28 VFL ports and 6x25G SFP28 ports. Includes 19" rack-mount kit, console adapter, 1200W AC PS and country specific power cord. TAA compliant.	23 100,00 \$
QSFP-100G-C1M	100 Gigabit direct attached copper cable 1m, QSFP28)	630,00 \$
OS6860N-P48Z	Multi-GigE L3 1RU chassis with 36 10/100/1000 BaseT 60W bt PoE, 12 100/1G/2.5G/5G BaseT 95W bt PoE, 4 fixed SFP28 (1G/10G/25G) MACsec ports and 2 QSFP28 VFL ports. Includes 920W AC PS, power cord, 19in rack-mount kit and a micro-USB to USB console cable	22 379,00 \$
OS6860N-BPPX	OS6860N-BPPX modular 920W AC PoE power supply. Provides system and PoE power to one PoE OS6860N switch. Ships with country specific power cord. Not compatible with OS6860/OS6860E switch	2 478,00 \$
OS6870PX48M	OS6870-P48M: Fixed chassis with 48x5G multi-gigabit 95W bt PoE ports, 2x200G QSFP56 VFL ports with an uplink module expansion slot. Includes 19" rack-mount kit, console adapter, 1200W AC PS and country specific power cord. TAA compliant.	25 060,00 \$
OS6870-24	OS6870-24: Fixed chassis with 24x10/100/1000 RJ-45 ports, 2x100G QSFP28 VFL ports and 4x25G SFP28 ports. Includes 19" rack-mount kit, console adapter, 1x250W AC PS and country specific power cord. TAA compliant.	10 962,00 \$

Product ID	Description	PDSF (CAD)
OS6870-SW-PRM2	Premium Software License for OS6870-24, 48, P24Z and P48Z	2 450,00 \$
OS6870-BP	One OS6870-BP modular 250W AC power supply. Provides power to one non-PoE OS6870 switch. Includes country specific power cord. Not compatible with OS6860E or OS6860N.	910,00 \$
SP5N-OS6860	5 years End Customer Support Plus for one OS6860 Includes 24x7 access to technical assistance, software updates and upgrades. Includes advanced replacement of faulty equipment. Please see Network Essentials document on MyPortal.	2 815,40 \$
ST5N-OS6860	5 years End Customer Support Total for one OS6860 Includes 24x7 access to technical assistance, software updates and upgrades. Includes 4H advanced replacement of faulty equipment. For ordering conditions, contact your ALE reseller.	5 629,40 \$
OS6870PH24Z	OS6870-P24Z: Fixed chassis with 24x2.5G multi-gigabit 60W bt PoE ports, 2x100G QSFP28 VFL ports and 6x25G SFP28 ports. Includes 19" rack-mount kit, console adapter, 600W AC PS and country specific power cord. TAA compliant.	18 186,00 \$
OS6870-BPPH	One OS6870-BPPH modular 600W AC PoE power supply. Provides power to one OS6870 PoE switch. Includes country specific power cord. Not compatible with OS6860E or OS6860N.	1 652,00 \$
OS6870PH24M	OS6870-P24M: Fixed chassis with 24x10G multi-gigabit 95W bt PoE ports, 2x200G QSFP56 VFL ports with an uplink module expansion slot. Includes 19" rack-mount kit, console adapter, 600W AC PS and country specific power cord. TAA compliant.	23 240,00 \$
OS6870-SW-PRM1	Premium Software License for OS6870-P24M, P48M and V12	3 570,00 \$
OS6870-48	OS6870-48: Fixed chassis with 48x10/100/1000 RJ-45 ports, 2x100G QSFP28 VFL ports and 4x25G SFP28 ports. Includes 19" rack-mount kit, console adapter, 1x250W AC PS and country specific power cord. TAA compliant.	16 156,00 \$
OS6870PH48M	OS6870-P48M: Fixed chassis with 48x5G multi-gigabit 95W bt PoE ports, 2x200G QSFP56 VFL ports with an uplink module expansion slot. Includes 19" rack-mount kit, console adapter, 600W AC PS and country specific power cord. TAA compliant.	24 500,00 \$
OS6900-MPLS-1	Software license to enable MPLS on one node of OS6900 switch. A node can be a stand-alone switch or a virtual chassis of switches located on a single site.	5 593,00 \$
OS-SW-MACSEC	Site license to enable MACsec on applicable OS6465, OS6560, OS6860, OS6865, , OS6870, OS6900, OS9900 models. One license per customer at no cost	1,40 \$
OS6900V48-F	OS6900-V48C8: 1RU chassis with 48 25G SFP28 ports and 8 100G QSFP28 ports. SFP28 ports operate as 1/10/25GE. QSFP28 ports operate as 100GE/40GE/4x25GE/4x10GE. Front to back cooling. Includes dual AC PS units,cord,manuals access card and rack mounts.	49 698,60 \$
SP5N-OS6900	5 years End Customer Support Plus for one OS6900 Includes 24x7 access to technical assistance, software updates and upgrades. Includes advanced replacement of faulty equipment. Please see Network Essentials document on MyPortal.	7 725,20 \$

Product ID	Description	PDSF (CAD)
ST5N-OS6900	5 years End Customer Support Total for one OS6900 Includes 24x7 access to technical assistance, software updates and upgrades. Includes 4H advanced replacement of faulty equipment. For ordering conditions, contact your ALE reseller.	15 451,80 \$
OVCX-69-PRM-5Y	OmniVista Cirrus 10 - Public Cloud - Premium Level - 5 Year - Covers OS69xx Devices - Ordering through Ebuy - Prepaid mode - Premium Support - Includes End Customer Support for Device (AVR) & OVC10 Updates & Support	8 475,60 \$
OS6900X24-F	OS6900-X24C2: 1RU chassis with 24 SFP+ users, 2 SFP+ uplinks or VFL and 2 QSFP28 ports. QSFP28 ports operate as 40/100G-4x10/25G. Front to back cooling. Includes dual AC power supplies, country specific power cord, manuals access card and rack mounts.	26 426,40 \$
OS6900X48-F	OS6900-X48C6: 1RU Chassis with 48 10G SFP+ ports and 6 100G QSFP28 ports. SFP+ ports operate as 1/10GE. QSFP28 ports as 100GE/40GE/4x25GE/4x10GE. Front to back cooling. Dual AC power supplies, manuals access card and rack mounts, country specific power cord	44 557,80 \$
OS68-XNI-U4	OS68-XNI-U4: One uplink module for OS6860N Premium models with 4 1/10G SFP+ ports. All ports are 256-bit MACsec capable	1 614,20 \$
OS6900C32E-F	OS6900-C32E: 1RU chassis with 32 x 100G QSFP28 ports. QSFP28 ports can operate as 100GE/40GE/4x25GE/4x10GE. Front to back cooling. Includes dual AC Power Supply units, country specific power cord, manuals access card and rack mounts.	54 839,40 \$
ISFP-10G-SR	10 Gigabit industrial optical transceiver (SFP+). Supports Multimode fiber with an LC connector. Typical reach of 300m	728,00 \$
ISFP-GIG-T	1000Base-T Gigabit industrial ethernet Transceiver SFP MSA) - Supports category 5, 5E, and 6 copper cabling up to 100m. SFP supports 10/100/1000 Mbit/s and full-duplex mode.	630,00 \$
OS6465-P6-XX	Hardened GigE fan-less switch. 4x10/100/1000 Base-T RJ-45 PoE+ (2x60W PoE), 2x100/1000 Base-X SFP, RS-232 Console, Alarm relay: 1 In 1 out & USB port. Includes 75W AC PSU, Country Specific power cord, user manuals access card & TS-35/7.5 or 15 DIN rail mounting hardware	3 922,80 \$
OS6465-BPN	OS6465 modular DIN Rail 75W AC power supply. Provides system & PoE power to one OS6465-P6 or OS6465-P12 switch. Ships with country specific power cord & TS-35/7.5 or 15 DIN rail mounting hardware	275,80 \$
SP5N-OS6465	5 years End Customer Support Plus for one OS6465 Includes 24x7 access to technical assistance, software updates and upgrades. Includes advanced replacement of faulty equipment. Please see Network Essentials document on MyPortal.	1 001,00 \$
ST5N-OS6465	5 years End Customer Support Total for one OS6465 Includes 24x7 access to technical assistance, software updates and upgrades. Includes 4H advanced replacement of faulty equipment. For ordering conditions, contact your ALE reseller.	2 000,60 \$

Product ID	Description	PDSF (CAD)
OVCX-64-PRM-5Y	OmniVista Cirrus 10 - Public Cloud - Premium Level - 5 Year - Covers OS64xx Devices - Ordering through Ebuy - Prepaid mode - Premium Support - Includes End Customer Support for Device (AVR) & OVC10 Updates & Support	1 209,60 \$
OS6465-P6	Hardened GigE fan-less switch. 4x10/100/1000 RJ-45 PoE+ (2x60W PoE), 2x100/1000 Base-X SFP,RS-232 Console, Alarm relay: 1 In 1 out & USB port. Includes user manual, access card & TS-35/7.5 /15 DIN rail mounting hardware. Order Power Supply separately.	3 684,80 \$
OS6465-BPN-H	OS6465 modular DIN 180W AC backup power supply. Provides system & PoE power to one OS6465-P6 or OS6465-P12 switch. Ships with country specific power cord & TS-35/7.5 or 15 DIN rail mounting hardware	757,40 \$
OS6465H-P12-XX	Hardened GigE fan-less switch. 8x10/100/1000 BaseT RJ-45 802.3bt type-3 PoE, 4x100/1000 BaseX SFP,RS-232 Console, alarm relay & USB ports. FPoE/PPoE and 240W PoE capable Bundle includes 75W AC PSU, power cord, user manuals & DIN rail mounting hardware	5 063,80 \$
OS6465H-P12	Hardened GigE fan-less switch. 8x10/100/1000 BaseT RJ-45 802.3bt type-3 PoE, 4x100/1000 BaseX SFP, alarm relay, RS-232 console & USB ports. FPoE/PPoE and upto 240W PoE budget. Includes user manual & DIN mounting hardware. Order power supply separately.	4 884,60 \$
OS6465-P28-XX	Hardened GigE fan-less 1RU switch. 22x10/100/1000Base-T PoE+ ports(8x60W), 2x100/1000 Base-X SFP, 4xSFP+ (2x100FX capable), RS-232 Console, 1 USB and Alarm relay: 1 In, 1 out. Includes 180W AC PSU, power cord, PS tray, user manuals and 19" rack mount kit	11 596,20 \$
OS6465-BPR	Modular load sharing 180 W AC backup power supply for OS6465-P28. Provides system & PoE power to one OS6465-P28 switch. Autoranging90VAC - 260VAC. Includes country specific power cord	1 667,40 \$
OAW-AP1361D-RW	OmniAccess Stellar Outdoor AP1361D. Dual radio 5GHz 4x4:4 / 2.4GHz 2x2:2 802.11ax, integrated directional antenna. 1x1 scanning radio and BLE radio. 2.5GbE, 1GbE, 1GbE SFP, USB, 48V DC. AP mount order seperately. Not for use in US, Egypt, Israel, Japan	2 875,60 \$
AP-MNT-OUT	Outdoor mount kit (Pole/Wall). Standard configuration in the AP1251 product packaging. Applicable for OmniAccess Stellar AP1251, AP136x Outdoor series.	218,40 \$
OVTX-APH-PRM-5Y	OmniVista Terra - On Premises - Premium Level - 5 Year - Covers High End Stellar AP1x3x, AP1x4x, AP1x5x, AP1x6x AP1x7x - Ordering through eBuy - Prepaid mode - Includes End Customer Support for Device (AVR) & OV10 updates and support.	711,20 \$
OVCX-APH-PRM-5Y	OmniVista Cirrus 10 - Public Cloud - Premium Level - 5 Year - Covers Stellar AP1x3x, AP1x4x, AP1x5x, AP1x6x, AP1x7x - Ordering through Ebuy - Prepaid mode - Premium Support - Includes End Customer Support for Device (AVR) & OVC10 Updates & Support	789,60 \$
OAW-AP1561-RW	OmniAccess Stellar Outdoor AP1561 Wi-Fi 7. Tri radio 2.4GHz+5GHz+5GHz/6GHz 2x2/2x2/2x2 802.11be, integrated omni antenna. 2.5GE PoE. AP mount order separately. Not use in US, Egypt, Japan.	1 953,00 \$

Product ID	Description	PDSF (CAD)
OAW-AP1361-RW	OmniAccess Stellar Outdoor AP1361. Dual radio 5GHz 4x4:4 / 2.4GHz 2x2:2 802.11ax, integrated omni. 1x1 scanning radio and BLE radio. 2.5GbE, 1GbE, 1GbE SFP, USB, 48V DC. AP mount order seperately. Not for use in US, Egypt, Israel, Japan	2 875,60 \$
AP-MNT-OUT-H	Outdoor hanging down-tilt mount kit (Pole). Applicable for OmniAccess Stellar AP1361.	218,40 \$
OAW-AP1322-RW	OmniAccess Stellar Indoor AP1322. Dual radio 5GHz 4x4:4 / 2.4GHz 2x2:2 802.11ax, external antenna connectors. 1x1 scanning radio and BLE radio. 1x 2.5GbE, 1x 1GbE, USB, 48V DC. AP mount order seperately. Not for use in US, Egypt, Israel, Japan	1 594,60 \$
ANT-O-6	Dual band 2.4/5GHz, 1-element, direct mount , omni-directional antenna, 6dBi 4x)	117,60 \$
OVTX-APL-PRM-5Y	OmniVista Terra - On Premises - Premium Level - 5 Year - Covers Low End Stellar AP1x0x, AP1x1x, AP1x2x - Ordering through eBay - Prepaid mode - Includes End Customer Support for Device (AVR) & OV10 updates and support.	460,60 \$
OVCX-APL-PRM-5Y	OmniVista Cirrus 10 - Public Cloud - Premium Level - 5 Year - Covers Covers Stellar AP models AP1x0x, AP1x1x, AP1x2x - Ordering through Ebay - Prepaid mode - Premium Support - Includes End Customer Support for Device (AVR) & OVC10 Updates & Support	512,40 \$
OAW-AP-MNT-W	Mounting kit, Type A wall mount and ceiling mount with screws. Applicable for OmniAccess Stellar AP1101, AP12xx and AP13xx Indoor series.	36,40 \$
OAW-AP1511-RW	OmniAccess Stellar AP1511 Wi-Fi 7. Tri radio 2.4GHz/5GHz/6GHz 2x2+2x2+2x2 802.11be, integrated omni antenna. BLE/Zigbee. 1x 5GE, 1x USB-C Console, USB Type-C, 48V DC. AP mount to be ordered separately. Not for use in US, Egypt, Japan.	1 813,00 \$
AP-MNT-IN-WE	Indoor Mounting kit for flat surface: wall/ceiling/junction-box mount with screws. Stainless Steel. Applicable for OmniAccess Stellar AP13xx, AP14xx and AP15xx.	58,80 \$
OAW-AP1411-RW	OmniAccess Stellar Indoor AP1411. Dual radio, Tri band 2.4/5/6GHz 2x2 Wi-Fi6E, integrated omni antenna. BLE/Zigbee radio. 1x 2.5GE up (PoE) + 1x 1GE up, Console, USB, 48V DC. AP mount to be ordered separately. Regulatory domain not for use in US, Japan.	1 533,00 \$
OAW-AP1321-RW	OmniAccess Stellar Indoor AP1321. Dual radio 5GHz 4x4:4 / 2.4GHz 2x2:2 802.11ax, integrated omni antenna. 1x1 scanning radio and BLE radio. 1x 2.5GbE, 1x 1GbE, USB, 48V DC. AP mount order seperately. Not for use in US, Egypt, Israel, Japan	1 594,60 \$
AP-MNT-IN-BE	Indoor mounting kit enhanced, Type B1 (9/16) and Type B2 (15/16) for T shaped ceiling rail mounting. Applicable for OmniAccess Stellar AP1351, AP1101, AP12xx, AP13xx, AP14xx and AP15xx Indoor series.	58,80 \$
OAW-AP-MNT-B	Indoor mounting kit, Type B1(9/16) and B2(15/16) for T shaped spare ceiling rail mounting. Standard packaging in OmniAccess Stellar AP1101 and AP12xx(L). Applicable for AP13xx (not applicable for AP1351).	36,40 \$

Product ID	Description	PDSF (CAD)
OAW-AP1301H-RW	OmniAccess Stellar Indoor AP1301H. Dual radio 2.4/5Ghz 2x2 802.11ax, omni antenna. 1x GbE uplink, 4x GbE downlink (1 PSE), RJ45 passthrough pair, 1x USB and 1x 48V DC. Unrestricted Regulatory Domain. Not for use in US, Egypt, Israel, Japan.	793,80 \$
SFP-10G-SR	10 Gigabit optical transceiver SFP+). Supports multimode fiber over 850nm wavelength nominal) with an LC connector. Typical reach of 300m	980,00 \$
SFP-10G-LR	10 Gigabit optical transceiver SFP+). Supports monomode fiber over 1310nm wavelength nominal) with an LC connector. Typical reach of 10Km	2 660,00 \$
SFP-25G-SR	25 Gigabit optical transceiver (SFP28). Supports link lengths of 70m on OM3 and 100m on OM4 multimode fiber cables. LC connector type.	1 680,00 \$
SFP-1G-T	SFP-1G-T: Fixed speed 1000Base-T Gigabit Ethernet Transceiver SFP MSA Supports category 5, 5E, and 6 copper cabling up to 100m. SFP works only at 1000 Mbit/s speed and full duplex mode.	413,00 \$
SFP-GIG-LX	1000Base-LX Gigabit Ethernet optical transceiver SFP MSA). Supports single mode fiber over 1310nm wavelength nominal) with an LC connector. Typical reach of 10 Km on 9/125 m SMF.	630,00 \$
SFP-GIG-SX	1000Base-SX Gigabit Ethernet optical transceiver SFP MSA). Supports multimode fiber over 850nm wavelength nominal) with an LC connector. Typical reach of 300m on 62.5/125 m MMF or 550m on 50/125 m MMF.	350,00 \$
SFP-GIG-BX-U	1000Base-BX SFP transceiver with an LC type of interface. This bi-directional transceiver is designed for use over single mode fiber optic on a single strand link up to 10 km. Transmits 1310 nm and receives 1490 nm optical signal.	1 960,00 \$
SFP-25G-LR	25 Gigabit optical transceiver (SFP28). Supports link lengths of 10Km over singlemode fiber cables. LC connector type.	6 720,00 \$
QSFP-40G-SR	Four channel 40 Gigabit optical transceiver QSFP+). Supports link lengths of 100m and 150m respectively on OM3 and OM4 multimode fiber cables. Single MPO receptacle	2 100,00 \$
QSFP-100G-SR4	100 Gigabit optical transceiver QSFP28). Supports link lengths of 70m on OM3 and 100m on OM4 multimode fiber cables. MPO12 connector.	4 200,00 \$
OS6560-BP-P	OS6560-BP-P modular 300W AC PoE power supply. Provides system and PoE power to one OS6560 PoE switch. Ships with country specific power cord.	757,40 \$
OS6560-BP-PX	OS6560-BP-PX modular 920W AC PoE power supply. Provides system and PoE power to one OS6560 PoE switch. Ships with country specific power cord.	2 478,00 \$
OS6870PX24Z	OS6870-P24Z: Fixed chassis with 24x2.5G multi-gigabit 60W bt PoE ports, 2x100G QSFP28 VFL ports and 6x25G SFP28 ports. Includes 19" rack-mount kit, console adapter, 1200W AC PS and country specific power cord. TAA compliant.	19 726,00 \$